

NT NEW TEC

GENERAL TRADING L.L.C.

☎ : +971 6 743 2723 📱 : +971 50 786 1169 - +971 56 277 1960 📍 : P.O.Box: 18745 - Jurf - Ajman - U.A.E.
✉ : newtecgen@gmail.com 🌐 : newtecgen.com



NEW THINK NEW POSSIBILITIES

OUR STRENGTH & CAPABILITIES



WE ARE PLEASED TO INTRODUCE OUR SELF AS ONE OF THE RENOWNED SUPPLIER AND DISTRIBUTOR OF HYDRAULIC HOSES, INDUSTRIAL HOSES & PNEUMATIC HOSES, VALVES, AND FITTINGS FOR ALL HYDRAULIC AND PNEUMATIC APPLICATIONS. OIL AND CHEMICAL COMPOSITE HOSES, AIR FILTRATION UNIT, PNEUMATIC CYLINDER, PIPE LINE VALVES, PRESSURE GAUGES, CAMLOCK COUPLING WILL ADD TO THE FULL RANGE OF PRODUCT. WE HAVE GOT OTHER SUPPORTIVE ITEMS ALSO TO SUIT YOUR REQUIREMENTS ACCORDINGLY. OUR SINCERE AND DEDICATED TECHNICIANS CAN FULFILL YOUR REQUIREMENT WITHOUT ANY LOSS OF TIME.

WE SOURCE BEST QUALITY PRODUCT FROM LEADING MANUFACTURERS. OUR EXHAUSTIVE RANGE OF HYDRAULIC AND PNEUMATIC TOOLS AND EQUIPMENT ARE AVAILABLE IN VERY COST EFFECTIVE PRICE RANGE.

OUR NEW PRODUCT RANGE INCLUDES PREMIUM QUALITY AUTOMOBILE OILS WHICH ARE OF 100% VIRGIN STATUS UNDER THE NAME OF TEC LUBE, AND AUTOMOBILE BATTERIES UNDER THE NAME OF TEC CELL WHICH SUIT WELL FOR GULF SPECIFICATIONS .OUR WELL-EQUIPPED WAREHOUSE CAN STORE OUR PRODUCT SAFELY WITHOUT ANY PHYSICAL OR SEVERE CLIMATIC CONDITIONS.

WE ASSURE YOU OUR SINCERE CUSTOMER SERVICE AND COOPERATION WITHOUT ANY FAIL TO ALL OUR VALUED CUSTOMERS. HOPE YOUR SINCERE SUPPORT AT ALL TIMES.

OUR MOTTO IS FROM "START TO FINISH"

TECHflow

FUEL ACCESSORIES

Durable High Quality Material

FUEL EQUIPMENTS


OPW FUEL GUN




FUEL GUN




FUEL NOZZLE NCN-38




DIESEL FLOW METER NCM-40G



HOSE REEL FULL SET



HOSE REEL FULL SET




HOSE REEL



CIM TEK FILTER



FILTER HOLDER



OIL INDICATOR NCI-02



MALE-FEMALE SWIVEL ROTARY NCS-14



SWIVEL ROTARY NCS-01



SWIVEL ROTARY NCS-02




SWIVEL ROTARY NCS-05



SWIVEL ROTARY NCS-06



STRAINER BASKET NCM-610



SHAKO MECHANICAL VALVES



SOLINOID VALVES

PNEUMATIC CONTROL VALVE & SWITCHES



PNEUMATIC CONTROL VALVE & SWITCHES



PNEUMATIC CONTROL VALVE & SWITCHES



AIR COMBINATION

FILTER REGULATOR & LUBRICATOR (FRL)



AW2000-02 G1/4

AW3000-02 G1/4

AW3000-03 G3/8

AW4000-04 G1/2

AW4000-06 G3/4

AW5000-06 G3/4

AW5000-10 G1



AC2010-02 G1/4

AC3010-02 G1/4

AC3010-03 G3/8

AC4010-04 G1/2

AC4010-06 G3/4

AC5010-06 G3/4

AC5010-10 G1



AR2000-02 G1/4

AR3000-02 G1/4

AR3000-03 G3/8

AR4000-04 G1/2

AR4000-06 G3/4

AR5000-06 G3/4

AR5000-10 G1



AC2000-02 G1/4

AC3000-03 G3/8


AC4000-04 G1/2

AC4000-06 G3/4

AC5000-10 G1

CONTROLL EQUIPMENT

SOLINOID VALVES



EXECUTE EQUIPMENT

PNEUMATIC CYLINDER



ONE TOUCH FITTINGS

PUSH STR. CONNECTOR



SPC	04-M5	04-M5
SPC	04 -01	4 X 1/8"
SPC	04 -02	4 X 1/4"
SPC	06-M5	6 X M5
SPC	06 - 01	6 - 1/8"
SPC	06 - 02	6 - 1/4"
SPC	06 - 03	6 - 3/8"
SPC	06 - 04	6 - 1/2"
SPC	08 - 01	8 - 1/8"
SPC	08 - 02	8 - 1/4"
SPC	08 - 03	8 - 3/8"
SPC	08 - 04	8 - 1/2"
SPC	10 - 01	10 - 1/8"
SPC	10 - 02	10 - 1/4"
SPC	10 - 03	10 - 3/8"
SPC	10 - 04	10 - 1/2"
SPC	12 - 01	12 - 1/8"
SPC	12 - 02	12 - 1/4"
SPC	12 - 03	12 - 3/8"
SPC	12 - 04	12 - 1/2"
SPC	14 -03	14 - 3/8"
SPC	14 -04	14 - 1/2"
SPC	15 - 02	15 - 1/4"
SPC	15 - 03	15 - 3/8"
SPC	15 - 04	15 - 1/2"
SPC	16 -03	16 - 3/8"
SPC	16 -04	16 - 1/2"
SPC	1/4" -01	1/4" - 1/8"
SPC	1/4" -02	1/4" - 1/4"
SPC	1/4" -03	1/4" - 3/8"
SPC	3/8" -01	3/8" - 1/8"
SPC	3/8" -02	3/8" - 1/4"
SPC	3/8" -03	3/8" - 3/8"
SPC	3/8" -04	3/8" - 1/2"
SPC	1/2" -02	1/2" - 1/4"
SPC	1/2" -03	1/2" - 3/8"
SPC	1/2" -04	1/2" - 1/2"

PUSH ELBOW CONNECTOR



SPL	04-M5	04-M5
SPL	04 -01	4 X 1/8"
SPL	04 -02	4 X 1/4"
SPL	06-M5	6 X M5
SPL	06 - 01	6 - 1/8"
SPL	06 - 02	6 - 1/4"
SPL	06 - 03	6 - 3/8"
SPL	06 - 04	6 - 1/2"
SPL	08 - 01	8 - 1/8"
SPL	08 - 02	8 - 1/4"
SPL	08 - 03	8 - 3/8"
SPL	08 - 04	8 - 1/2"
SPL	10 - 01	10 - 1/8"
SPL	10 - 02	10 - 1/4"
SPL	10 - 03	10 - 3/8"
SPL	10 - 04	10 - 1/2"
SPL	12 - 01	12 - 1/8"
SPL	12 - 02	12 - 1/4"
SPL	12 - 03	12 - 3/8"
SPL	12 - 04	12 - 1/2"
SPL	14 -03	14 - 3/8"
SPL	14 -04	14 - 1/2"
SPL	15 - 02	15 - 1/4"
SPL	15 - 03	15 - 3/8"
SPL	15 - 04	15 - 1/2"
SPL	16 -03	16 - 3/8"
SPL	16 -04	16 - 1/2"
SPL	1/4" -01	1/4" - 1/8"
SPL	1/4" -02	1/4" - 1/4"
SPL	1/4" -03	1/4" - 3/8"
SPL	3/8" -01	3/8" - 1/8"
SPL	3/8" -02	3/8" - 1/4"
SPL	3/8" -03	3/8" - 3/8"
SPL	3/8" -04	3/8" - 1/2"
SPL	1/2" -02	1/2" - 1/4"
SPL	1/2" -03	1/2" - 3/8"
SPL	1/2" -04	1/2" - 1/2"

ONE TOUCH FITTINGS

PUSH STR. UNION



SPU	4 MM
SPU	5 MM
SPU	6 MM
SPU	7 MM
SPU	8 MM
SPU	9 MM
SPU	10 MM
SPU	11 MM

SPU	12 MM
SPU	14 MM
SPU	15 MM
SPU	16 MM
SPU	1/8"
SPU	3/16"
SPU	1/4"
SPU	3/8"
SPU	1/2"

PUSH TEE UNION



SPE	4 MM
SPE	6 MM
SPE	8 MM
SPE	10 MM
SPE	12 MM
SPE	14 MM
SPE	15 MM

SPE	16 MM
SPE	1/8"
SPE	3/16"
SPE	1/4"
SPE	3/8"
SPE	1/2"

PUSH ELBOW UNION



SPV	4 MM
SPV	6 MM
SPV	8 MM
SPV	10 MM

SPV	12 MM
SPV	14 MM
SPV	15 MM
SPV	16 MM

PUSH REDUCER UNION



SPG	6 - 4
SPG	8 - 4
SPG	8 - 6
SPG	10 - 6
SPG	10 - 8
SPG	12 - 6

SPG	12 - 8
SPG	12 - 10
SPG	14 - 10
SPG	14 - 12
SPG	16 - 12

REDUCER TEE



SPEG	4 - 6 - 4
SPEG	6 - 4 - 6
SPEG	6 - 8 - 6
SPEG	8 - 4 - 8
SPEG	8 - 6 - 8
SPEG	8 - 10 - 8

SPEG	10 - 6 - 10
SPEG	10 - 8 - 10
SPEG	10 - 12 - 10
SPEG	12 - 6 - 12
SPEG	12 - 8 - 12
SPEG	12 - 10 - 12
SPEG	16 - 12 - 16

PUSH Y UNION



SPY	4 MM
SPY	6 MM
SPY	8 MM
SPY	10 MM
SPY	12 MM

PUSH CROSS UNION



SPX	4 MM
SPX	6 MM
SPX	8 MM
SPX	10 MM
SPX	12 MM

ONE TOUCH FITTINGS

PUSH BRANCH TEE



SPB	04 - 01	4 - 1/8"
SPB	04 - 02	4 - 1/4"
SPB	06 - 01	6 - 1/8"
SPB	06 - 02	6 - 1/4"
SPB	06 - 03	6 - 3/8"
SPB	06 - 04	6 - 1/2"
SPB	08 - 01	8 - 1/8"
SPB	08 - 02	8 - 1/4"
SPB	08 - 03	8 - 3/8"
SPB	08 - 04	8 - 1/2"
SPB	10 - 01	10 - 1/8"
SPB	10 - 02	10 - 1/4"
SPB	10 - 03	10 - 3/8"
SPB	10 - 04	10 - 1/2"
SPB	12 - 01	12 - 1/8"
SPB	12 - 02	12 - 1/4"
SPB	12 - 03	12 - 3/8"
SPB	12 - 04	12 - 1/2"
SPB	16 - 04	16 - 1/2"

FLOW CONTROL VALVE



JSC	04 - 01	4 - 1/8"
JSC	04 - 02	4 - 1/4"
JSC	06 - 01	6 - 1/8"
JSC	06 - 02	6 - 1/4"
JSC	06 - 03	6 - 3/8"
JSC	06 - 04	6 - 1/2"
JSC	08 - 01	8 - 1/8"
JSC	08 - 02	8 - 1/4"
JSC	08 - 03	8 - 3/8"
JSC	08 - 04	8 - 1/2"
JSC	10 - 01	10 - 1/8"
JSC	10 - 02	10 - 1/4"
JSC	10 - 03	10 - 3/8"
JSC	10 - 04	10 - 1/2"
JSC	12 - 01	12 - 1/8"
JSC	12 - 02	12 - 1/4"
JSC	12 - 03	12 - 3/8"
JSC	12 - 04	12 - 1/2"
JSC	16 - 04	16 - 1/2"

PUSH STR. FEMALE CONNECTOR



SPCF	06 - 01	6 - 1/8"
SPCF	06 - 02	6 - 1/4"
SPCF	06 - 03	6 - 3/8"
SPCF	06 - 04	6 - 1/2"
SPCF	08 - 01	8 - 1/8"
SPCF	08 - 02	8 - 1/4"
SPCF	08 - 03	8 - 3/8"
SPCF	08 - 04	8 - 1/2"
SPCF	10 - 01	10 - 1/8"
SPCF	10 - 02	10 - 1/4"
SPCF	10 - 03	10 - 3/8"
SPCF	10 - 04	10 - 1/2"
SPCF	12 - 01	12 - 1/8"
SPCF	12 - 02	12 - 1/4"
SPCF	12 - 03	12 - 3/8"
SPCF	12 - 04	12 - 1/2"

FLOW CONTROL UNION



SPA	4 MM
SPA	6 MM
SPA	8 MM
SPA	10 MM
SPA	12 MM

BULK HEAD UNION



SPM	4 MM
SPM	6 MM
SPM	8 MM
SPM	10 MM
SPM	12 MM

ONE TOUCH FITTINGS

PUSH STR. CONNECTOR METAL



MPC	04 - 01	4 X 1/8"
MPC	04 - 02	4 X 1/4"
MPC	06 - 01	6 - 1/8"
MPC	06 - 02	6 - 1/4"
MPC	06 - 03	6 - 3/8"
MPC	06 - 04	6 - 1/2"
MPC	08 - 01	8 - 1/8"
MPC	08 - 02	8 - 1/4"
MPC	08 - 03	8 - 3/8"
MPC	08 - 04	8 - 1/2"
MPC	10 - 01	10 - 1/8"
MPC	10 - 02	10 - 1/4"
MPC	10 - 03	10 - 3/8"
MPC	10 - 04	10 - 1/2"
MPC	12 - 01	12 - 1/8"
MPC	12 - 02	12 - 1/4"
MPC	12 - 03	12 - 3/8"
MPC	12 - 04	12 - 1/2"
MPC	16 - 04	16 - 1/2"

PUSH ELBOW CONNECTOR METAL



MPL	04 - 01	4 X 1/8"
MPL	04 - 02	4 X 1/4"
MPL	06 - 01	6 - 1/8"
MPL	06 - 02	6 - 1/4"
MPL	06 - 03	6 - 3/8"
MPL	06 - 04	6 - 1/2"
MPL	08 - 01	8 - 1/8"
MPL	08 - 02	8 - 1/4"
MPL	08 - 03	8 - 3/8"
MPL	08 - 04	8 - 1/2"
MPL	10 - 01	10 - 1/8"
MPL	10 - 02	10 - 1/4"
MPL	10 - 03	10 - 3/8"
MPL	10 - 04	10 - 1/2"
MPL	12 - 01	12 - 1/8"
MPL	12 - 02	12 - 1/4"
MPL	12 - 03	12 - 3/8"
MPL	12 - 04	12 - 1/2"
MPL	16 - 04	16 - 1/2"

PUSH STR. UNION METAL



MPU	4 MM
MPU	6 MM
MPU	8 MM
MPU	9 MM
MPU	10 MM
MPU	12 MM
MPU	14 MM
MPU	15 MM
MPU	16 MM

PUSH TEE UNION METAL



MPE	4 MM
MPE	6 MM
MPE	8 MM
MPE	10 MM
MPE	12 MM
MPE	14 MM
MPE	15 MM
MPE	16 MM

PUSH RED. UNION METAL



MPG	6 - 4
MPG	8 - 6
MPG	10 - 8
MPG	12 - 8
MPG	12 - 10

PUSH ELBOW UNION METAL



MPV	4 MM
MPV	6 MM
MPV	8 MM
MPV	10 MM
MPV	12 MM

NYLON TUBES & PU TUBES

NYLON BLACK TUBES



OD X ID

4 X 2 MM

5 X 3 MM

6 X 4 MM

8 X 6 MM

9 X 6 MM

10 X 8 MM

11 X 8 MM

12 X 9 MM

14 X 11 MM

15 X 12 MM

16 X 12 MM

1/4"

3/8"

1/2"

PU ORANGE TUBES



OD X ID

4 X 2 MM


6 X 4 MM

8 X 5 MM

10 X 6.5 MM

12 X 8 MM

PU BLACK TUBES



OD X ID

4 X 2 MM

6 X 4 MM

8 X 5 MM

10 X 6.5 MM

12 X 8 MM

NYLON MILKY WHITE TUBES



OD X ID

4 X 2 MM

6 X 4 MM

8 X 6 MM

10 X 8 MM


12 X 9 MM

1/4"

3/8"

1/2"

PU BLUE TUBES



OD X ID

4 X 2 MM

4 X 2.5 MM

5 X 3 MM

6 X 4 MM

8 X 5 MM

8 X 6 MM

10 X 6.5 MM

12 X 8 MM

14 X 11 MM

15 X 12 MM

16 X 12 MM

1/4"

3/8"

1/2"

SILICONE HOSE



OD X ID

5 X 2 MM

6 X 3 MM

7 X 4 MM

8 X 5 MM

10 X 6 MM

12 X 7 MM

12 X 8 MM


13 X 9 MM

14 X 10 MM

16 X 12 MM

20 X 16 MM

PU CLEAR TUBES



OD X ID

4 X 2 MM

6 X 4 MM

8 X 5 MM

OD X ID

10 X 6.5 MM

12 X 8 MM

16 X 12 MM

PE TUBES



OD X ID

4 X 2 MM

6 X 4 MM

8 X 6 MM

10 X 8 MM

FUEL HOSE (COTTON COVERED)



ID

3 MM

4 MM

5 MM

6 MM

8 MM

10 MM

12 MM

QUICK RELEASE COUPLING & PLUGS

LUDECKE GERMANY

COUPLING MALE



CODE	SIZE
ES 14 A	1/4"
ES 38 A	3/8"
ES 12 A	1/2"

COUPLING FEMALE



CODE	SIZE
ES 14 I	1/4"
ES 38 I	3/8"
ES 12 I	1/2"

COUPLING HOSE END



CODE	SIZE
ES 6 T	1/4"
ES 8 T	5/16"
ES 9 T	3/8"
ES 10 T	3/8"
ES 13 T	1/2"


3/4 WAY COUPLING FEMALE



3 WAY DISTRIBUTOR




PLUG MALE



CODE	SIZE
ES 14 NA	1/4"
ES 38 NA	3/8"
ES 12 NA	1/2"

PLUG FEMALE



CODE	SIZE
ES 14 NI	1/4"
ES 38 NI	3/8"
ES 12 NI	1/2"

PLUG HOSE



CODE	SIZE
ES 6 S	1/4"
ES 8 S	5/16"
ES 9 S	3/8"
ES 10 S	3/8"
ES 13 S	1/2"

BRASS CLAW COUPLING HOSE END



3/8"
1/2"
5/8"
3/4"
1"

BRASS CLAW COUPLING MALE & FEMALE



1/4
3/8
1/2
3/4
1'

NITTO STYLE (CP)

COUPLING MALE




CODE	SIZE
SM 20	1/4"
SM 30	3/8"
SM 40	1/2"

COUPLING FEMALE



CODE	SIZE
SF 20	1/4"
SF 30	3/8"
SF 40	1/2"

COUPLING HOSE END



CODE	SIZE
SH 10	1/4"
SH 20	5/16"
SH 30	3/8"
SH 40	1/2"

PLUG MALE




CODE	SIZE
PM 20	1/4"
PM 30	3/8"
PM 40	1/2"

PLUG FEMALE



CODE	SIZE
PF 20	1/4"
PF 30	3/8"
PF 40	1/2"

PLUG HOSE



CODE	SIZE
PH 10	1/4"
PH 20	5/16"
PH 30	3/8"
PH 40	1/2"

BRASS & CP BALL VALVE



HI - TEC HOSE CLAMPS



HOSE CLAMPS

SINGLE BOLT CLAMP (SUPER CLAMP)

Material : Mild Carbon
Steel Zinc Plating



OD (MM)
17 - 19 MM
19 - 21 MM
20 - 22 MM
21 - 23 MM
23 - 25 MM
26 - 28 MM
29 - 31 MM
32 - 35 MM
36 - 39 MM
40 - 43 MM
44 - 47 MM
48 - 51 MM
52 - 55 MM
56 - 59 MM
60 - 63 MM
64 - 67 MM
68 - 73 MM
74 - 79 MM
80 - 85 MM
86 - 91 MM
92 - 97 MM
98 - 103 MM
104 - 112 MM
113 - 121 MM
122 - 130 MM
131 - 139 MM
140 - 148 MM
149 - 161 MM
162 - 174 MM
175 - 187 MM
188 - 200 MM
201 - 213 MM

HOSE CLIP (JUBILY TYPE)

Material : Mild Carbon
Steel Zinc Plating
Body : Full Perforated



CODE	OD (MM)
000	9.5 - 12 MM
M00	11 - 16 MM
00	13 - 20 MM
0	16 - 22 MM
0X	18 - 25 MM
1A	22 - 30 MM
1	25 - 35 MM
1X	30 - 40 MM
1M	32 - 45 MM
2A	35 - 50 MM
2	40 - 55 MM
2X	45 - 60 MM
3	55 - 70 MM
3X	60 - 80 MM
4	70 - 90 MM
4X	85 - 100 MM
5	90 - 120 MM
6	110 - 140 MM

G.I.DOUBLE BOLT CLAMP




PART NO.	SIZE
SL-22 (20-22MM)	3/8"
SL-29 (22-29MM)	1/2"
SL-34 (27-32MM)	3/4"
SL-40 (32-39MM)	1"
SL-49 (39-49MM)	1 1/4"
SL-60 (48-60MM)	1 1/2"
SL-76 (60-70MM)	2"
SL-94 (70-94MM)	3"
SL-115 (94-115MM)	3 1/2"
SL-400 (88-96MM)	3"
SL-525 (103-125MM)	4"
SL-675 (151-165MM)	5 1/2"

G.I. FOUR BOLT CLAMP (DIXON TYPE)




SIZE
3/4"
1"
1 1/2"
1 1/4"
2"
3"

GREASE NIPPLES & COPPER WASHER



O RINGS & DOWTHY WASHER



WASHER & O RINGS

DOWTHY SEAL



B S P	
1/8"	7/8"
1/4"	1"
3/8"	1 1/4"
1/2"	1 1/2"
5/8"	2"
3/4"	

METRIC	
6 MM	18 MM
8 MM	20 MM
10 MM	22 MM
12 MM	24 MM
14 MM	26 MM
16 MM	28 MM

COPPER WASHER




ID	OD	THK
6	12	1.2 MM
8	14	1.2 MM
10	16	1.2 MM
12	18	1.2 MM
14	20	1.5 MM

ID	OD	THK
16	22	1.5 MM
18	24	1.5 MM
20	26	1.5 MM
22	27	1.2 MM
26	32	1.5 MM

WASHER & O RINGS

FLANGE O RING



3000 PSI 6000 PSI

1/2" 1/2"

3/4" 3/4"

1" 1"

1 1/4" 1 1/4"

1 1/2" 1 1/2"

2" 2"



9000 PSI

3/4"

1"

1 1/4"

1 1/2"

2"

ORFS O RING



1/4"

3/8"

1/2"

5/8"

3/4"

1"

1 1/4"

CAMLOCK WASHER



1"

1 1/4"

1 1/2"

2"

2 1/2"

3"

4"

STORZ COUPLING WASHER



2" - 4"

CHICAGO WASHER




3/4" - 1" - 2"

GRAVITY ADAPTOR WASHER



TRANSPARENT ACRYLIC TUBE, PNEUMATIC MULTI PASS COUPLER



ALUMINIUM & SS CAMLOCK COUPLINGS SERIES

				
A - 50 TO A 600 1/2" TO 6"	B - 50 TO B 600 1/2" TO 6"	C - 50 TO C 600 1/2" TO 6"	D - 50 TO D 600 1/2" TO 6"	E - 50 TO E 600 1/2" TO 6"
				
F - 50 TO F 600 1/2" TO 6"	DP - 50 TO DP-600 1/2" TO 6"	DC - 50 TO DC-600 1/2" TO 6"	D+A COMBINATION	GRAVITY DROP ADAPTOR

STORZ COUPLING			
FEMALE END REDUCER	MALE END REDUCER		
			
4 x 3"	4 x 3"	MALE COUPLING 2", 3", 4"	FEMALE COUPLING 2", 3", 4"
3 x 2"	3 x 2"		
3 x 2 1/2"	3 x 2 1/2"		
3 x 1 1/2"	3 x 1 1/2"		
2 x 1 1/2"	2 x 1 1/2"		
2 x 1 1/4"	2 x 1 1/4"		
2 x 1"	2 x 1"	HOSE END COUPLING 2", 3", 4"	STORZ CAP 2", 4"

CHICAGO COUPLING

			
HOSE END 1/2", 3/4", 1", 1 1/4", 1 1/2", 2"	MALE END 1/2", 3/4", 1", 1 1/4", 1 1/2"	FEMALE END 1/2", 3/4", 1", 1 1/4", 1 1/2"	3 WAY COUPLING 3/4"

BRASS FITTINGS

MALE HOSE NIPPLE



THREAD	TAIL
1/4"	6 MM
1/4"	8 MM
1/4"	10 MM
1/4"	12 MM
3/8"	6 MM
3/8"	8 MM
3/8"	10 MM

THREAD	TAIL
3/8"	12 MM
1/2"	6 MM
1/2"	8 MM
1/2"	10 MM
1/2"	12 MM
3/4"	12 MM
3/4"	19 MM


FEMALE HOSE NIPPLE



THREAD	TAIL
1/4"	6 MM
1/4"	8 MM
1/4"	10 MM
1/4"	12 MM
3/8"	6 MM
3/8"	8 MM


THREAD	TAIL
3/8"	10 MM
3/8"	12 MM
1/2"	6 MM
1/2"	8 MM
1/2"	10 MM
1/2"	12 MM

HEX NIPPLE



SIZE	SIZE
1/8" X 1/8"	1/2" X 3/8"
1/4" X 1/8"	1/2" X 1/2"
1/4" X 1/4"	3/4" X 1/2"
3/8" X 1/8"	3/4" X 3/4"
3/8" X 1/4"	1" X 1/2"
3/8" X 3/8"	1" X 1"
1/2" X 1/4"	

FEMALE SOCKET



SIZE	SIZE
1/8" X 1/8"	1/2" X 3/8"
1/4" X 1/8"	1/2" X 1/2"
1/4" X 1/4"	3/4" X 1/2"
3/8" X 1/4"	3/4" X 3/4"
3/8" X 3/8"	1" X 1"
1/2" X 1/4"	

FEMALE ELBOW



1/8"
1/4"
3/8"
1/2"
3/4"
1"

REDUCER BUSH



MALE		FEMALE
1/4"	X	1/8"
3/8"	X	1/8"
3/8"	X	1/4"
1/2"	X	1/4"
1/2"	X	3/8"
3/4"	X	3/8"
3/4"	X	1/2"
1"	X	1/2"
1"	X	3/4"
1 1/4"	X	1"

FEMALE MALE ADAPTOR



FEMALE		MALE
1/4"	X	1/8"
1/4"	X	1/4"
3/8"	X	1/4"
1/2"	X	1/4"
1/2"	X	3/8"
1/2"	X	1/2"
3/4"	X	1/2"

FEMALE TEE



1/8"
1/4"
3/8"
1/2"
3/4"
1"

BRASS FITTINGS

HOSE STR. JOINT



1/4"

5/16"

3/8"

1/2"

3/4"

HOSE TEE JOINT



1/4"

5/16"

3/8"

1/2"

HOSE Y JOINT



1/4"

3/8"

1/2"

MALE PLUG



1/8"

1/4"

3/8"

BRASS BALL VALVE (LD)

FEMALE - FEMALE



1/4" - 1/4"

3/8" - 3/8"

MALE - FEMALE



1/4" - 1/4"

3/8" - 3/8"

FEMALE HOSE



1/4" - 1/4"

3/8" - 3/8"

MALE - HOSE



1/4" - 1/4"

3/8" - 3/8"

BUTTER FLY VALVE MALE FEMALE



1/2" - 1/2"

BALL VALVES

BRASS BALL VALVE



1/4" - 1/4"

3/8" - 3/8"

1/2" - 1/2"

3/4" - 3/4"

1" - 1"

1 1/4" - 1 1/4"

1 1/2" - 1 1/2"

2" - 2"

2 1/2" - 2 1/2"

3" - 3"

4" - 4"

CP BALL VALVE



1/4" - 1/4"

3/8" - 3/8"

1/2" - 1/2"

3/4" - 3/4"

1" - 1"

1 1/4" - 1 1/4"

1 1/2" - 1 1/2"

2" - 2"

2 1/2" - 2 1/2"

3" - 3"

4" - 4"

MALE - FEMALE



1/4" - 1/4"

3/8" - 3/8"

1/2" - 1/2"

FEMALE - FEMALE



1/4" - 1/4"

3/8" - 3/8"

1/2" - 1/2"

MALE - MALE



1/4" - 1/4"

3/8" - 3/8"

1/2" - 1/2"

S.S. THREE WAY BALL VALVE



1000 WOG NPT

1/4"

1/2"

3/4"

1"

BRASS CONNECTOR

BRASS STR. CONNECTOR



TUBE OD	THREAD (NPT / BSP)
6 MM	1/4"
6 MM	3/8"
6 MM	1/2"
8 MM	1/4"
8MM	3/8"
8MM	1/2"
10 MM	1/4"
10 MM	3/8"
10 MM	1/2"
12 MM	1/4"
12 MM	3/8"
12 MM	1/2"

TUBE OD	THREAD (NPT / BSP)
1/4"	1/8"
1/4"	1/4"
1/4"	3/8"
1/4"	1/2"
3/8"	1/4"
3/8"	3/8"
3/8"	1/2"
1/2"	1/4"
1/2"	3/8"
1/2"	1/2"

BRASS ELBOW CONNECTOR



TUBE OD	THREAD (NPT / BSP)
6 MM	1/4"
6 MM	3/8"
6 MM	1/2"
8 MM	1/4"
8MM	3/8"
8MM	1/2"
10 MM	1/4"
10 MM	3/8"
10 MM	1/2"
12 MM	1/4"
12 MM	3/8"
12 MM	1/2"

TUBE OD	THREAD (NPT / BSP)
1/4"	1/8"
1/4"	1/4"
1/4"	3/8"
1/4"	1/2"
3/8"	1/4"
3/8"	3/8"
3/8"	1/2"
1/2"	1/4"
1/2"	3/8"
1/2"	1/2"

BRASS UNION



1/4"
3/8"
1/2"
5/8"
4 MM
5 MM
6 MM
8 MM
10 MM
12 MM

BRASS TEE CONNECTOR



TUBE OD
1/4"
3/8"
1/2"
6 MM
8MM
10 MM
12 MM


INNER SLEEVE

TUBE ID
2 MM
4 MM
5 MM
6 MM
7 MM
8 MM
9 MM
10 MM



TUBE ID
11 MM
12 MM
13 MM
4.35 MM (1/4" OD)
6.5 MM (3/8" OD)
9.5 MM (1/2" OD)

MS OUTER



TUBE OD
6 MM
8 MM
10 MM
12 MM
14 MM
15 MM
16 MM

BRASS OUTER

TUBE OD
4 MM
6 MM
8 MM
10 MM
12 MM
14 MM
15 MM
16 MM




TUBE OD
18 MM
3/16"
1/4"
5/16"
3/8"
1/2"
5/8"

BANJO FITTINGS

FUEL BANJO

BOLT SIZE	TAIL OD
8 MM	6 MM
8 MM	8 MM
10 MM	6 MM
10 MM	8 MM
10 MM	10 MM
12 MM	6 MM
12 MM	8 MM
12 MM	10 MM
12 MM	12 MM
14 MM	6 MM



BOLT SIZE	TAIL OD
14 MM	8 MM
14 MM	10 MM
14 MM	12 MM
16 MM	6 MM
16 MM	8 MM
16 MM	10 MM
16 MM	12 MM
16 MM	14 MM
18 MM	12 MM

BANJO BOLT SINGLE



THREAD
6 MM X 1 MM
8 MM X 1 MM
10 MM X 1 MM
10 MM X 1.25 MM
12 MM X 1.5 MM
14 MM X 1.5 MM
16 MM X 1.5 MM
18 MM X 1.5 MM
22 MM X 1.5 MM

BANJO BOLT DOUBLE



THREAD
6 MM X 1 MM
8 MM X 1 MM
10 MM X 1 MM
12 MM X 1.5 MM
14 MM X 1.5 MM
16 MM X 1.5 MM
18 MM X 1.5 MM

METRIC FITTINGS

AIR UNION STR. SET




TUBE SIZE
4 MM
5 MM
6 MM
8 MM
9 MM
10 MM
12 MM
14 MM
15 MM
16 MM

BLOCKING PLUG



THREAD SIZE
12 MM
14 MM
16 MM
18 MM
20 MM
22 MM
26 MM

AIR UNION TEE SET



TUBE SIZE
6 MM
8 MM
10 MM
12 MM
14 MM
15 MM
16 MM

MALE MALE ELBOW



THREAD SIZE
12 MM
14 MM
16 MM
18 MM
22 MM

AIR UNION SET LONG



TUBE SIZE
15 MM

MALE FEMALE ELBOW



THREAD SIZE
12 MM
14 MM
16 MM
18 MM
22 MM

BRANCH TEE



THREAD SIZE
12 MM
14 MM
16 MM
18 MM
22 MM

RUN TEE



THREAD SIZE
12 MM
14 MM
16 MM
18 MM
22 MM

METRIC FITTINGS

METRIC ADAPTOR



TUBE	THREAD
L 6 A X L 6 A	12 - 12 MM
L 6 A X L 8 A	12 - 14 MM
L 6 A X L 10 A	12 - 16 MM
L 6 A X L 12 A	12 - 18 MM
L 6 A X L 15 A	12 - 22 MM
L 8 A X L 8 A	14 - 14 MM
L 8 A X L 10 A	14 - 16 MM
L 8 A X L 12 A	14 - 18 MM
L 8 A X L 15 A	14 - 22 MM
L 10 A X L 10 A	16 - 16 MM
L 10 A X L 12 A	16 - 18 MM
L 10 A X L 15 A	16 - 22 MM
L 12 A X L 12 A	18 - 18 MM
L 12 A X L 15 A	18 - 22 MM
L 15 A X L 15 A	22 - 22 MM
L 15 A X L 18 A	22 - 26 MM
L 18 A X L 18 A	26 - 26 MM
L 8 A X L 6 F	14 - 12 MM
L 6 A X L 8 F	12 - 14 MM
L 10 A X L 8 F	16 - 14 MM
L 8 A X L 10 F	14 - 16 MM
L 12 A X L 8 F	18 - 14 MM
L 8 A X L 12 F	14 - 18 MM
L 10 A X L 12 F	16 - 18 MM
L 12 A X L 10 F	18 - 16 MM
L 12 A X L 12 F	18 - 18 MM
L 12 A X L 15 F	22 - 18 MM
L 10 X 3/8" B	16 X 3/8" BSP
L 10 X 1/2" B	16 X 1/2" BSP
L 12 X 3/8" B	18 X 3/8" BSP
L 12 X 1/2" B	18 X 1/2" BSP
L 8 X 1/4" N	14 X 1/4" NPT
L 10 X 1/4" N	16 X 1/4" NPT
L 10 X 3/8" N	16 X 3/8" NPT
L 10 X 1/2" N	16 X 1/2" NPT
L 12 X 1/4" N	18 X 1/4" NPT
L 12 X 3/8" N	18 X 3/8" NPT
L 12 X 1/2" N	18 X 1/2" NPT
L 15 X 3/8" N	22 X 3/8" NPT
L 15 X 1/2" N	22 X 1/2" NPT

METRIC MALE FEMALE ADAPTOR



FEMALE	MALE
14 MM	12 MM
16 MM	12 MM
16 MM	14 MM
18 MM	12 MM
18 MM	14 MM
18 MM	16 MM
22 MM	12 MM
22 MM	14 MM
22 MM	16 MM
22 MM	18 MM
22 MM	3/8" BSPT
22 MM	1/2" BSPT

METRIC REDUCER BUSH



MALE	FEMALE
14 MM	12 MM
16 MM	12 MM
16 MM	14 MM
18 MM	12 MM
18 MM	14 MM
18 MM	16 MM
22 MM	12 MM
22 MM	14 MM
22 MM	16 MM
22 MM	18 MM

FEMALE SOCKET




THREAD SIZE	
12 MM	20 MM
14 MM	22 MM
16 MM	26 MM
18 MM	

METRIC BULK HEAD (LONG ADAPTOR)



THREAD SIZE	TUBE
L 10 F X L 6 A	16 - 12 MM
L 10 A X L 6 A	16 - 12 MM
L 10 F X L 8 A	16 - 14 MM
L 10 A X L 8 A	16 - 14 MM
L 10 F X L 10 A	16 X 16 MM
L 10 A X L 10 A	16 X 16 MM
L 10 A X L 12 A	16 X 18 MM
L 12 F X L 6 A	18 X 12 MM
L 12 F X L 8 A	18 X 14 MM
L 12 F X L 10 A	18 X 16 MM
L 12 F X L 12 A	18 X 18 MM
L 15 F X L 8 A	22 X 14 MM
L 15 F X L 10 A	22 X 16 MM
L 15 F X L 12 A	22 X 18 MM
L 15 F X L 15 A	22 X 22 MM

BOOSTER FITTINGS



THREAD SIZE	TAIL SIZE
16 MM	10 MM
16 MM	11 MM
16 MM	13 MM
16 MM	16 MM
18 MM	11 MM
18 MM	13 MM
22 MM	10 MM
22 MM	11 MM
22 MM	13 MM
22 MM	16 MM

* F : Flat Seating

* A : Tube Seating

GREASE GUN



ITALY




CHINA

GREASE PIPE



ITALY



60 CM

30 CM

CHINA

GREASE NIPPLE



6 MM STR.

6 MM 45°

6 MM 90°

8 MM STR.

8 MM 45°

8 MM 90°

10 MM STR.

10 MM 45°

10 MM 90°

12 MM STR.

12 MM 45°

12 MM 90°

1/8" STR

1/8" 45°

1/8" 90°

1/4" STR

1/4" 45°

1/4" 90°

3/8" STR

1/2" STR

GREASE ADAPTOR



GERMANY

ITALY

CHINA



5 MTR - 7 MTR

AIR HOSE RED



5 MTR - 7 MTR

AIR HOSE YELLOW



HEAD COUPLING



QUICK COUPLING



22 MM


1/2"

AIR RELIEF VALVE



1/2"

BRASS WATER GUN



AG-01R

AIR GUN PLASTIC



DG-10

AIR GUN METAL

CHECK VALVE (NON RETURN)



CV 01 1/8"

CV 02 1/4"

CV 03 3/8"

CV 04 1/2"

LCV 20 3/4"

LCV 25 1"

BRASS BRONZE SILENCER



A-6 1/8"

A-8 1/4"

A-10 3/8"

A-15 1/2"

A-20 3/4"

A-25 1"

WHIP CHECK



1/8"

1/4"

3/8"

AIR CHUCKS


AIR WING NUT (1/4", 5/16")



AIR CHUCK FEMALE -001



AIR CHUCK-001 (1/4", 5/16")



AIR CHUCK-002 (5/16")



TYRE INFLATOR

1



1/4" FEMALE

2



QRC NITTO STYLE

3



GAUGE PEN TYPE

4



INFLATOR WITH GAUGE

5



5/16" HOSE END

FUEL GUN



Fuel Gun Red
3/4", 1"



Fuel Gun Yellow
3/4", 1"



Fuel Gun Green
3/4", 1"

FT133 - R1AT / 1SN

Applicable Standard: SAE J517-100R1AT / EN 853-1SN / ISO 1436

Construction:

Inner tube : Oil Resistant Synthetic rubber

Reinforcement : 1 High tensile steel wire braid

Cover : Black colour, Synthetic rubber resistant to abrasion and weather, oil & ozone.

Application : Transmit petroleum base or water base hydraulic fluid oil



Item Code	Dash Size	DN	ID		OD		WP		BP		BR/r		W
			inch	mm	inch	mm	psi	bar	psi	bar	inch	mm	kg/m
FT133-03	-03	05	3/16	4.8	0.45	11.5	3625	250	14500	1000	3.5	90	0.210
FT133-04	-04	06	1/4	6.4	0.51	13.2	3263	225	13050	900	3.9	100	0.250
FT133-05	-05	08	5/16	7.9	0.58	14.7	3118	215	12325	850	4.5	115	0.311
FT133-06	-06	10	3/8	9.5	0.67	17.1	2610	180	10440	720	5.1	130	0.360
FT133-08	-08	12	1/2	12.7	0.80	20.4	2320	160	9280	640	7.0	180	0.451
FT133-10	-10	16	5/8	15.9	0.93	23.7	1885	130	7540	520	8.0	205	0.519
FT133-12	-12	19	3/4	19.1	1.08	27.3	1522	105	6090	420	9.5	240	0.651
FT133-16	-16	25	1	25.4	1.41	36.0	1276	88	5075	350	11.9	300	0.909
FT133-20	-20	31	1.1/4	31.8	1.68	42.5	913	63	3654	250	16.5	420	1.300
FT133-24	-24	38	1.1/2	38.1	1.90	48.5	725	50	2900	200	19.70	500	1.690
FT133-32	-32	51	2	50.8	2.45	62.0	580	40	2320	160	24.8	630	1.891

FT134 - R2AT / 2SN

Applicable Standard : SAE J517-100R2AT / EN853-2SN / ISO 1436

Construction :

Inner tube : Oil resistant synthetic rubber

Reinforcement : 2 High tensile steel wire braid

Cover : Abrasion resistant synthetic rubber

Application : Transmit petroleum base or water base hydraulic fluid oil



Item Code	Dash Size	DN	ID		OD		WP		BP		BR/r		W
			inch	mm	inch	mm	psi	bar	psi	bar	inch	mm	kg/m
FT134-03	-03	05	3/16	4.8	0.52	13.4	6018	415	24070	1660	3.5	90	0.320
FT134-04	-04	06	1/4	6.4	0.60	15.0	5800	400	23200	1600	3.9	100	0.352
FT134-05	-05	08	5/16	7.9	0.65	16.5	5075	350	20300	1400	4.5	115	0.443
FT134-06	-06	10	3/8	9.5	0.75	18.9	4785	330	19140	1320	4.9	125	0.540
FT134-08	-08	12	1/2	12.7	0.88	22.2	3988	275	15950	1100	7.1	180	0.680
FT134-10	-10	16	5/8	15.9	1.00	25.6	3625	250	14500	1000	7.9	200	0.779
FT134-12	-12	19	3/4	19.1	1.15	29.3	3118	215	12470	860	9.4	240	0.941
FT134-16	-16	25	1	25.4	1.49	37.8	2393	165	9570	660	11.8	300	1.350
FT134-20	-20	31	1.1/4	31.8	1.75	44.3	1813	125	7250	500	16.5	420	2.100
FT134-24	-24	38	1.1/2	38.1	1.99	50.3	1305	90	5220	360	19.7	500	2.650
FT134-32	-32	51	2	50.8	2.51	63.8	1160	80	4640	320	24.8	630	3.400



Temperature Range : Continuous: -40°C to +100°C

FT137 - 4SH

Applicable Standard : EN 856 - 4SH / ISO 3862

Construction :

Inner tube : Oil resistance synthetic rubber

Reinforcement : 4 high tensile steel wire spiral

Cover : Black corrugated, oil, weather and abrasion resistant synthetic rubber

Application : Transmit petroleum base or water base hydraulic fluid oil.



Item Code	Dash Size	DN	ID		OD		WP		BP		BR/r		W kg/m
			inch	mm	inch	mm	psi	bar	psi	bar	inch	mm	
FT137-10	-12	19	3/4	19.1	1.25	31.8	6090	420	24360	1680	11.02	280	1.476
FT137-12	-16	25	1	25.4	1.52	38.7	5510	380	22040	1520	13.39	340	1.984
FT137-16	-20	31	1.1/4	31.8	1.81	46.2	5075	350	20300	1400	18.11	460	2.428
FT137-20	-24	38	1.1/2	38.1	2.10	53.5	4350	300	17400	1200	22.05	560	2.873
FT137-24	-32	51	2	50.8	2.68	68.0	3625	250	14500	1000	27.56	700	4.534



Temperature Range : Continuous: -40°C to +121°C

OIL COMPOSITE HOSES

CONSTRUCTION:

Hose inner and outer steel wire are hot dipgalvanized steel wire, and made from Poly propylene fabric films, and with PVC coated fabric cover.

APPLICATION:

Suitable for the suction and discharge transfer of petroleum product in plant

COLOR: Blue with white strip

WORKING TEMPERATURE: -30°-120°

STAND: EN13765 TYPE2 & AS2117 TYPE3 GRADE1 & 2

Item Code	Hose I.D mm/in	Working Pressure Psi/Mpa	Bend Radius
FT-25	25/1	232/1.6	100
FT-38	38/1½	232/1.6	110
FT-51	51/2	232/1.6	170
FT-65	65/2½	232/1.6	240
FT-80	80/3	232/1.6	280
FT-100	100/4	232/1.6	380
FT-150	150/6	232/1.6	500
FT-202	202/8	232/1.6	800
FT-252	252/10	232/1.6	1100

NOTE: The reference data in this volume is for reference only, and the weight and bending radius will be different for different specifications



HYDRAULIC HOSES



2SC PREMIUM

I.D.			MAX O.D.	MAX W.P.		MIN B.P.		P.T PTimes
DASH	DN	INCH	MM	BAR	PSI	BAR	PSI	
-4	6	1/4"	13.4±0.4	450	6525	1800	26100	200000T
-5	8	5/16"	15±0.4	420	6090	1680	24360	200000T
-6	10	3/8"	17±0.4	385	5585	1540	22330	200000T
-8	12	1/2"	20.7±0.4	345	5000	1380	20010	200000T
-10	16	5/8"	23.6±0.4	290	4205	1160	16820	200000T
-12	19	3/4"	27.7±0.4	280	4060	1120	16240	200000T
-16	25	1"	35.6±0.4	200	2900	800	11600	200000T
-20	32	1-1/4"	43.5±0.4	175	2540	700	10150	200000T



"HYDRAULIC CYLINDERS, PUMPS, MOTORS & LIFTING EQUIPMENT REPAIR & MAINTENANCE"



Industrial & Marine Hydraulic Systems – Hoses, couplings, and fittings for all applications.

Forklift Repair & Maintenance – Diesel, battery-operated, side loaders, telehandlers, and more.

Hydraulic Cylinders pumps, motor & Lifting handling equipment's Repair and Maintenance.

Control Valve Systems – Troubleshooting, maintenance, and reconditioning.

Hydraulic Power Packs & Cylinders – Seal kit replacements and servicing.

Sweeper & Floor Cleaning Machines – Repair and maintenance services.

Hydraulic Hose Assembly – Custom solutions for Composite, Marine, and Industrial needs.

Pneumatic Systems – Hose assemblies, fittings, and cylinder seal replacements.

Power Steering & Injector Hoses – Precision assembly and troubleshooting.

Steel Pipe Bending & Hydraulic Pipes – High-quality fittings and installations.



NT NEW TEC

GENERAL TRADING L.L.C.

☎ : +971 6 743 2723 📱 : +971 50 786 1169 - +971 56 277 1960 📍 : P.O.Box: 18745 - Jurf - Ajman - U.A.E.
✉ : newtecgen@gmail.com 🌐 : newtecgen.com

Regis
CERTIFIED
Partner

LÜDECKE

HI-TEC Certified By
aga
INTERNATIONAL

FT Flexi-Tech ITALY
COMPOSITE HOSE



TEC LUBE

TECH flow

HI-TEC

